


Cities Health Snapshot:

A COLLECTION OF COMMUNITY HEALTH PROFILES BY CITY IN LOS ANGELES COUNTY.

SEPTEMBER 2016



Cities Health Snapshot:

A COLLECTION OF COMMUNITY HEALTH PROFILES BY CITY IN LOS ANGELES COUNTY.

INTRODUCTION

The Los Angeles County Department of Public Health (DPH) serves an estimated 10 million people who live, work and play across the eight Los Angeles County Service Planning Areas (SPAs). These distinct geographic regions allow DPH to develop and provide more relevant public health and clinical services targeted to the specific health needs of people in these different areas. By using the national benchmarks established by Healthy People 2020, we are able to identify health improvement priorities and increase the understanding of the determinants of health, disease, and disability and the opportunities for progress.

This compilation of reports is meant to guide stakeholders in public and private activities as well as initiatives and investments to improve health outcomes of community members and create environments that promote health. DPH strives to support community efforts that move beyond conventional public health practice to propose interventions that have the greatest population impact such as: reducing homelessness through affordable housing, promoting educational attainment, creating safe and walkable communities, and reducing violence.

DPH has made achieving health equity a departmental priority which is outlined in the 2013-2017 Strategic Plan and the 2015-2020 Community Health Improvement Plan for Los Angeles County. Health equity is achieved when everyone regardless of race, income, or zip code has the opportunity to attain their highest level of health. Through a variety of programs, community partnerships and services, we can work collaboratively to address the social, economic, and environmental factors that impede communities from achieving health equity.



Cynthia A. Harding, MPH
INTERIM DIRECTOR



Jeffrey D. Gunzenhauser, MD, MPH
INTERIM HEALTH OFFICER

Note: The cities of Long Beach and Pasadena were not included in this report as they have separate public health departments that are outside the jurisdiction of the Los Angeles County Department of Public Health. The cities of Avalon, Vernon and Rolling Hills were excluded from the analysis because their populations are too small to produce reliable estimates. Due to small sample sizes which can produce unreliable results, data for some indicators were not available (NA) or were not calculated (NC).

Acknowledgments

COMMUNITY HEALTH SERVICES ADMINISTRATION

Deborah Davenport, RN, PHN, MS, Director
Gema Morales-Meyer, DNP, RN, APHN-BC, Deputy Director, Planning
Nicole Vick, MPH, Senior Health Educator

AREA HEALTH OFFICE, SPA 1 / 2

Frank Alvarez, MD, MPH, Area Health Officer
Rita Mozian, MPH, MCHES, Health Educator
Olga Vigdorichik, MPH, MCHES, CLEC, Health Educator
Mario Baguiao, Health Educator Assistant

AREA HEALTH OFFICE, SPA 3 / 4

Cristin Mondy, RN, MSN, MPH, Area Health Officer
Tiffany Romo, MPH, Health Program Analyst
Angela Salazar, MPH, Health Educator
Lana Sklyar, MPH, Health Educator

AREA HEALTH OFFICE, SPA 5 / 6

Jan King, MD, MPH, Area Health Officer
Nadiya Juma, MPH, Health Educator
Nellie Nunez, Health Education Assistant
Alicia Alvarado, MPH, Intern

AREA HEALTH OFFICE, SPA 7 / 8

Silvia Prieto, MD, MPH, Area Health Officer
April Frank, MPH, Health Educator
Lindsey Lastra, MPH, CHES, Health Educator

CHS EPIDEMIOLOGY UNIT

Ekaterina Gee, MPH, Epidemiology Analyst
Elizabeth Rubin, MPH, Epidemiology Analyst
Nirvi Shah, MPH, Epidemiology Analyst, Lead Editor
Ashley Stegall, MPH, Epidemiology Analyst
Guili Zheng, PhD, MPH, Epidemiology Analyst
Zahra Mobasher, MPH, Epidemiology Analyst
Shelly Hsu, MPH, Epidemiology Analyst
Sona Oksuzyan, MD, MPH, PhD, Epidemiology Analyst

OFFICE OF HEALTH ASSESSMENT & EPIDEMIOLOGY

Aida Angelescu, MA, Senior Geographic Information Systems Analyst
Jennifer Cloud, MPH, Research Analyst
Douglas Frye, MD, MPH, Interim Director
Stephanie Hunter, AS, Student Professional Worker
Loren Lieb, MPH, Supervising Epidemiologist
Lisa V. Smith, MS, DrPH, Supervising Epidemiologist

COMMUNICATIONS & PUBLIC AFFAIRS

Alan Albert, Head Graphic Artist

INJURY & VIOLENCE PREVENTION PROGRAM

Isabelle Sternfeld, MSPH, Epidemiologist

MATERNAL, CHILD, AND ADOLESCENT HEALTH

Shin (Margaret) Chao, PhD, MPH, Senior Staff Analyst

Table of Contents
(by Service Planning Area)

Service Planning Area Map v

City of Los Angeles 1

Service Planning Area 1: Antelope Valley

Lancaster 3

Palmdale 5

Service Planning Area 2: San Fernando Valley

Agoura Hills 7

Burbank 9

Calabasas 11

Glendale 13

Hidden Hills 15

La Canada Flintridge 17

San Fernando 19

Santa Clarita 21

Westlake Village 23

Service Planning Area 3: San Gabriel

Alhambra 25

Arcadia 27

Azusa 29

Baldwin Park 31

Bradbury 33

Claremont 35

Covina 37

Diamond Bar 39

Duarte 41

El Monte 43

Glendora 45

Industry 47

Irwindale 49

La Puente 51

La Verne 53

Monrovia 55

Monterey Park 57

Pomona 59

Rosemead 61

San Dimas 63

San Gabriel 65

San Marino 67

Sierra Madre 69

South El Monte 71

South Pasadena 73

Temple City 75

Walnut 77

West Covina 79

Service Planning Area 4: Metro

West Hollywood 81

Service Planning Area 5: West

Beverly Hills 83

Culver City 85

Malibu 87

Santa Monica 89

Service Planning Area 6: South

Compton 91

Lynwood 93

Paramount 95

Service Planning Area 7: East

Artesia 97

Bell Gardens 99

Bell 101

Bellflower 103

Cerritos 105

Commerce 107

Cudahy 109

Downey 111

Hawaiian Gardens 113

Huntington Park 115

La Habra Heights 117

La Mirada 119

Lakewood 121

Maywood 123

Montebello 125

Norwalk 127

Pico River 129

Santa Fe Springs 131

Signal Hill 133

South Gate 135

Whittier 137

Service Planning Area 8: South Bay

Carson 139

El Segundo 141

Gardena 143

Hawthorne 145

Hermosa Beach 147

Inglewood 149

Lawndale 151

Lomita 153

Manhattan Beach 155

Palos Verdes Estates 157

Rancho Palos Verdes 159

Redondo Beach 161

Rolling Hills Estates 163


Torrance 165

Appendix: Technical Notes

Table of Contents
(in Alphabetical Order)

Agoura Hills 7	La Verne 53
Alhambra 25	Lakewood 121
Arcadia 27	Lancaster 3
Artesia 97	Lawndale 151
Azusa 29	Lomita 153
Baldwin Park 31	Lynwood 93
Bell 101	Malibu 87
Bell Gardens 99	Manhattan Beach 155
Bellflower 103	Maywood 123
Beverly Hills 83	Monrovia 55
Bradbury 33	Montebello 125
Burbank 9	Monterey Park 57
Calabasas 11	Norwalk 127
Carson 139	Palmdale 5
Cerritos 105	Palos Verdes Estates 157
City of Los Angeles 1	Paramount 95
Claremont 35	Pico River 129
Commerce 107	Pomona 59
Compton 91	Rancho Palos Verdes 159
Covina 37	Redondo Beach 161
Cudahy 109	Rolling Hills Estates 163
Culver City 85	Rosemead 61
Diamond Bar 39	San Dimas 63
Downey 111	San Fernando 19
Duarte 41	San Gabriel 65
El Monte 43	San Marino 67
El Segundo 141	Santa Clarita 21
Gardena 143	Santa Fe Springs 131
Glendale 13	Santa Monica 89
Glendora 45	Sierra Madre 69
Hawaiian Gardens 113	Signal Hill 133
Hawthorne 145	South El Monte 71
Hermosa Beach 147	South Gate 135
Hidden Hills 15	South Pasadena 73
Huntington Park 115	Temple City 75
Industry 47	Torrance 165
Inglewood 149	Walnut 77
Irwindale 49	West Covina 79
La Canada Flintridge 17	West Hollywood 81
La Habra Heights 117	Westlake Village 23
La Mirada 119	Whittier 137
La Puente 51	

Los Angeles County Incorporated Cities and Service Planning Areas (SPA)



Note: Map excludes cities of Avalon, Long Beach, Pasadena, Rolling Hills and Vernon.

*Prepared by LA County DPH
Office of Health Assessment and Epidemiology
11/2015*




Creating a Healthier Community

City of Los Angeles


Total Population: 3,792,621¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	City of Los Angeles	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.4	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	14.8	14.3	12.0
Percentage of adult obesity ⁶	22.4	23.9	30.5
Percentage of childhood obesity ⁶	25.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	24.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	161.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	4.6	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

City of Los Angeles	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Homicide	2. Homicide
3. Suicide	3. Suicide
4. Drug overdose	4. Motor vehicle crash
5. Motor vehicle crash	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	City of Los Angeles	Los Angeles County
Environmental Factors		
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	84.2
Off-premises alcohol density* (per 10,000 residents) ¹¹	6.5	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	52.0	55.4
Social Factors		
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.3
High school graduate or higher (%) ¹³	73.9	76.1
Median household Income ¹³	\$50,028	\$56,266
Unemployment (%) ¹³	10.3	9.8
Persons below poverty level (%) ¹³	20.2	16.3
Access to Care		
Percent (%) of adults 18-64 who are uninsured ⁸	NA	28.5

Note: *Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores
NA = Not available

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/jsp/CollisionReports.jsp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING AREA 1




Creating a Healthier Community

Lancaster

Located in the Antelope Valley region of Los Angeles County
Service Planning Area 1


Total Population: 156,633¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Lancaster	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	76.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	21.7	14.3	12.0
Percentage of adult obesity ⁶	26.0	23.9	30.5
Percentage of childhood obesity ⁶	21.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	41.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	212.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	6.8	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Lancaster	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Suicide	2. Homicide
3. Drug overdose	3. Suicide
4. Homicide	4. Motor vehicle crash
5. Lung cancer	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Lancaster	Antelope Valley (SPA 1) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	86.4	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	67.4	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	87.1	84.3
High school graduate or higher (%) ¹³	80.8	74.9	76.1
Median household Income ¹³	\$52,290	NA	\$56,266
Unemployment (%) ¹³	10.7	16.9	9.8
Persons below poverty level (%) ¹³	20.2	21.1	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	19.5	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Palmdale

Located in the Antelope Valley region of Los Angeles County
Service Planning Area 1


Total Population: 152,750¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Palmdale	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	77.4	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	18.5	14.3	12.0
Percentage of adult obesity ⁶	26.1	23.9	30.5
Percentage of childhood obesity ⁶	23.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	34.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	186.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	6.1	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Palmdale	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Motor vehicle crash	2. Homicide
3. Suicide	3. Suicide
4. Drug overdose	4. Motor vehicle crash
5. Lung cancer	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Palmdale	Antelope Valley (SPA 1) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	86.4	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	3.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	60.7	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	87.1	84.3
High school graduate or higher (%) ¹³	74.1	74.9	76.1
Median household Income ¹³	\$55,213	NA	\$56,266
Unemployment (%) ¹³	13.4	16.9	9.8
Persons below poverty level (%) ¹³	18.3	21.1	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	19.5	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialID_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING

AREA 2




Creating a Healthier Community

Agoura Hills

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 20,330¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Agoura Hills	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	83.4	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	7.7	14.3	12.0
Percentage of adult obesity ⁶	13.4	23.9	30.5
Percentage of childhood obesity ⁶	5.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	143.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Agoura Hills	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Agoura Hills	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	69.8	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	95.9	80.9	76.1
Median household Income ¹³	\$108,820	NA	\$56,266
Unemployment (%) ¹³	7.4	13.3	9.8
Persons below poverty level (%) ¹³	4.9	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Burbank

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 103,340¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Burbank	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	81.2	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	14.8	14.3	12.0
Percentage of adult obesity ⁶	18.5	23.9	30.5
Percentage of childhood obesity ⁶	16.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	15.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	157.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Burbank	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. Lung cancer	3. Suicide
4. Brain/CNS cancer**	4. Motor vehicle crash
5. Breast cancer	5. Liver disease/cirrhosis

**CNS=Central Nervous System

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Burbank	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	67.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	88.0	80.9	76.1
Median household Income ¹³	\$66,024	NA	\$56,266
Unemployment (%) ¹³	7.9	13.3	9.8
Persons below poverty level (%) ¹³	8.1	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Calabasas

Located in the San Fernando region of Los Angeles County
Service Planning Area 2


Total Population: 23,058¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Calabasas	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	7.3	14.3	12.0
Percentage of adult obesity ⁶	12.3	23.9	30.5
Percentage of childhood obesity ⁶	5.0	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	220.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Calabasas	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Calabasas	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	NA	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	97.1	80.9	76.1
Median household Income ¹³	\$118,182	NA	\$56,266
Unemployment (%) ¹³	8.1	13.3	9.8
Persons below poverty level (%) ¹³	6.5	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Glendale

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 191,719¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Glendale	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.9	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	15.4	14.3	12.0
Percentage of adult obesity ⁶	17.2	23.9	30.5
Percentage of childhood obesity ⁶	18.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	20.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	151.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	4.4	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Glendale	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Lung cancer	2. Homicide
3. Suicide	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. Stroke	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Glendale	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.2	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	55.4	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	85.1	80.9	76.1
Median household Income ¹³	\$54,087	NA	\$56,266
Unemployment (%) ¹³	9.6	13.3	9.8
Persons below poverty level (%) ¹³	13.4	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Hidden Hills

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 1,856¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Hidden Hills	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	NA	14.3	12.0
Percentage of adult obesity ⁶	NA	23.9	30.5
Percentage of childhood obesity ⁶	NA	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	NA	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Hidden Hills	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hs/hs12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Hidden Hills	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	NA	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	NA	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	96.6	80.9	76.1
Median household Income ¹³	\$250,000+	NA	\$56,266
Unemployment (%) ¹³	3.0	13.3	9.8
Persons below poverty level (%) ¹³	3.6	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

La Cañada Flintridge

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 20,246¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	La Cañada Flintridge	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	87.8	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	6.4	14.3	12.0
Percentage of adult obesity ⁶	10.1	23.9	30.5
Percentage of childhood obesity ⁶	8.5	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	116.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

La Cañada Flintridge	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	La Cañada Flintridge	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	59.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	97.6	80.9	76.1
Median household Income ¹³	\$148,214	NA	\$56,266
Unemployment (%) ¹³	5.7	13.3	9.8
Persons below poverty level (%) ¹³	2.0	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

San Fernando

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 23,645¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	San Fernando	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	78.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.5	14.3	12.0
Percentage of adult obesity ⁶	28.5	23.9	30.5
Percentage of childhood obesity ⁶	27.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	52.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	164.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

San Fernando	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	San Fernando	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	9.5	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	38.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	52.1	80.9	76.1
Median household Income ¹³	\$52,021	NA	\$56,266
Unemployment (%) ¹³	12.3	13.3	9.8
Persons below poverty level (%) ¹³	15.9	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Santa Clarita

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 176,320¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Santa Clarita	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	10.9	14.3	12.0
Percentage of adult obesity ⁶	18.4	23.9	30.5
Percentage of childhood obesity ⁶	14.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	17.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	158.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	4.7	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Santa Clarita	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Drug overdose	2. Homicide
3. Suicide	3. Suicide
4. Motor vehicle crash	4. Motor vehicle crash
5. Lung cancer	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Santa Clarita	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	59.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	87.7	80.9	76.1
Median household Income ¹³	\$83,579	NA	\$56,266
Unemployment (%) ¹³	9.0	13.3	9.8
Persons below poverty level (%) ¹³	7.7	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Westlake Village

Located in the San Fernando Valley region of Los Angeles County
Service Planning Area 2


Total Population: 8,270¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Westlake Village	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	7.9	14.3	12.0
Percentage of adult obesity ⁶	12.5	23.9	30.5
Percentage of childhood obesity ⁶	12.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	92.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Westlake Village	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Westlake Village	San Fernando Valley (SPA 2) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	NA	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	46.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.1	84.3
High school graduate or higher (%) ¹³	97.1	80.9	76.1
Median household Income ¹³	\$113,852	NA	\$56,266
Unemployment (%) ¹³	9.0	13.3	9.8
Persons below poverty level (%) ¹³	3.4	15.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	27.0	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING

AREA 3




Creating a Healthier Community

Alhambra

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 83,089¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Alhambra	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.3	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.2	14.3	12.0
Percentage of adult obesity ⁶	16.7	23.9	30.5
Percentage of childhood obesity ⁶	16.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	22.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	138.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Alhambra	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Suicide	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Alhambra	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	4.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	52.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	79.1	75.9	76.1
Median household Income ¹³	\$52,717	NA	\$56,266
Unemployment (%) ¹³	7.7	14.1	9.8
Persons below poverty level (%) ¹³	12.9	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Arcadia

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 56,364¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Arcadia	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	84.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	9.5	14.3	12.0
Percentage of adult obesity ⁶	13.9	23.9	30.5
Percentage of childhood obesity ⁶	10.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	13.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	123.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Arcadia	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Stroke	2. Homicide
3. Lung cancer	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsr/hsr12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Arcadia	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.1	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	49.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	91.6	75.9	76.1
Median household Income ¹³	\$77,221	NA	\$56,266
Unemployment (%) ¹³	4.8	14.1	9.8
Persons below poverty level (%) ¹³	8.7	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Azusa

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 46,361¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Azusa	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.1	14.3	12.0
Percentage of adult obesity ⁶	27.0	23.9	30.5
Percentage of childhood obesity ⁶	24.6	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	33.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	165.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Azusa	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Azusa	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	9.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	68.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	76.2	75.9	76.1
Median household Income ¹³	\$53,826	NA	\$56,266
Unemployment (%) ¹³	8.9	14.1	9.8
Persons below poverty level (%) ¹³	18.2	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Baldwin Park

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 75,390¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Baldwin Park	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.8	14.3	12.0
Percentage of adult obesity ⁶	29.4	23.9	30.5
Percentage of childhood obesity ⁶	28.7	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	28.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	156.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Baldwin Park	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Brain/CNS cancer**	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

**CNS=Central Nervous System

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Baldwin Park	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	61.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	56.5	75.9	76.1
Median household Income ¹³	\$52,094	NA	\$56,266
Unemployment (%) ¹³	12.2	14.1	9.8
Persons below poverty level (%) ¹³	16.0	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Bradbury

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 1,048¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Bradbury	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	NA	14.3	12.0
Percentage of adult obesity ⁶	NA	23.9	30.5
Percentage of childhood obesity ⁶	NA	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	NA	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Bradbury	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Bradbury	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	NA	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	NA	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	95.8	75.9	76.1
Median household Income ¹³	\$118,750	NA	\$56,266
Unemployment (%) ¹³	5.8	14.1	9.8
Persons below poverty level (%) ¹³	5.2	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Claremont

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 34,926¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Claremont	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	9.4	14.3	12.0
Percentage of adult obesity ⁶	14.2	23.9	30.5
Percentage of childhood obesity ⁶	14.6	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	20.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	195.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Claremont	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsu/hsu12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Claremont	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	3.5	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	57.7	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	92.8	75.9	76.1
Median household Income ¹³	\$81,715	NA	\$56,266
Unemployment (%) ¹³	8.8	14.1	9.8
Persons below poverty level (%) ¹³	6.5	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Covina

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 47,796¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Covina	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.1	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.7	14.3	12.0
Percentage of adult obesity ⁶	25.2	23.9	30.5
Percentage of childhood obesity ⁶	21.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	30.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	151.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Covina	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Lung cancer	2. Homicide
3. COPD/emphysema**	3. Suicide
4. Diabetes	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

**COPD=Chronic Obstructive Pulmonary Disease

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Covina	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	50.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	85.7	75.9	76.1
Median household Income ¹³	\$67,638	NA	\$56,266
Unemployment (%) ¹³	12.1	14.1	9.8
Persons below poverty level (%) ¹³	10.4	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Diamond Bar

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 55,544¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Diamond Bar	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	84.8	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	9.3	14.3	12.0
Percentage of adult obesity ⁶	14.8	23.9	30.5
Percentage of childhood obesity ⁶	13.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	21.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	133.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Diamond Bar	Los Angeles County
1. Breast cancer	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsr/hsr12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Diamond Bar	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	4.5	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	66.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	92.6	75.9	76.1
Median household Income ¹³	\$90,153	NA	\$56,266
Unemployment (%) ¹³	6.0	14.1	9.8
Persons below poverty level (%) ¹³	5.3	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Duarte

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 21,321¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Duarte	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	81.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.2	14.3	12.0
Percentage of adult obesity ⁶	24.2	23.9	30.5
Percentage of childhood obesity ⁶	20.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	20.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	194.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Duarte	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Duarte	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	9.1	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	64.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	81.0	75.9	76.1
Median household Income ¹³	\$64,329	NA	\$56,266
Unemployment (%) ¹³	8.6	14.1	9.8
Persons below poverty level (%) ¹³	7.2	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

El Monte

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 113,475¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	El Monte	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.4	14.3	12.0
Percentage of adult obesity ⁶	27.9	23.9	30.5
Percentage of childhood obesity ⁶	28.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	28.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	156.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	4.9	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

El Monte	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Motor vehicle crash	2. Homicide
3. Suicide	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	El Monte	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.8	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	61.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	53.2	75.9	76.1
Median household Income ¹³	\$41,820	NA	\$56,266
Unemployment (%) ¹³	11.4	14.1	9.8
Persons below poverty level (%) ¹³	22.0	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Glendora

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 50,073¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Glendora	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.3	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	10.8	14.3	12.0
Percentage of adult obesity ⁶	21.3	23.9	30.5
Percentage of childhood obesity ⁶	10.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	20.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	189.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Glendora	Los Angeles County
1. Suicide	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Glendora	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	4.8	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	69.8	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	89.0	75.9	76.1
Median household Income ¹³	\$75,939	NA	\$56,266
Unemployment (%) ¹³	7.9	14.1	9.8
Persons below poverty level (%) ¹³	6.7	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Industry

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 219¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Industry	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	78.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	NA	14.3	12.0
Percentage of adult obesity ⁶	NA	23.9	30.5
Percentage of childhood obesity ⁶	NA	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	NA	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Industry	Los Angeles County
1. Lung cancer	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsu/hsu12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Industry	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	NA	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	63.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	71.5	75.9	76.1
Median household Income ¹³	\$49,792	NA	\$56,266
Unemployment (%) ¹³	7.6	14.1	9.8
Persons below poverty level (%) ¹³	24.9	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Irwindale

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 1,422¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Irwindale	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	NA	14.3	12.0
Percentage of adult obesity ⁶	NA	23.9	30.5
Percentage of childhood obesity ⁶	NA	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	NA	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Irwindale	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Irwindale	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	NA	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	65.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	64.7	75.9	76.1
Median household Income ¹³	\$65,455	NA	\$56,266
Unemployment (%) ¹³	16.1	14.1	9.8
Persons below poverty level (%) ¹³	14.6	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

La Puente

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 39,816¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	La Puente	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	81.3	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.7	14.3	12.0
Percentage of adult obesity ⁶	31.2	23.9	30.5
Percentage of childhood obesity ⁶	27.8	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	32.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	119.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

La Puente	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver cancer	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	La Puente	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.1	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	59.3	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	58.8	75.9	76.1
Median household Income ¹³	\$52,042	NA	\$56,266
Unemployment (%) ¹³	8.7	14.1	9.8
Persons below poverty level (%) ¹³	12.0	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

La Verne

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 31,063¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	La Verne	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.1	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	10.1	14.3	12.0
Percentage of adult obesity ⁶	19.8	23.9	30.5
Percentage of childhood obesity ⁶	12.6	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	24.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	169.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

La Verne	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. Lung cancer	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsr/hsr12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	La Verne	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	64.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	91.8	75.9	76.1
Median household Income ¹³	\$77,088	NA	\$56,266
Unemployment (%) ¹³	9.4	14.1	9.8
Persons below poverty level (%) ¹³	7.9	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Monrovia

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 36,590¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Monrovia	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.7	14.3	12.0
Percentage of adult obesity ⁶	22.4	23.9	30.5
Percentage of childhood obesity ⁶	20.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	27.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	162.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Monrovia	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Monrovia	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	58.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	86.4	75.9	76.1
Median household Income ¹³	\$68,071	NA	\$56,266
Unemployment (%) ¹³	6.5	14.1	9.8
Persons below poverty level (%) ¹³	9.6	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Monterey Park

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 60,269¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Monterey Park	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	84.3	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.1	14.3	12.0
Percentage of adult obesity ⁶	16.1	23.9	30.5
Percentage of childhood obesity ⁶	15.8	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	19.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	107.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Monterey Park	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Colorectal cancer	2. Homicide
3. Drug overdose	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. Stomach cancer	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsr/hsr12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Monterey Park	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.0	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	44.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	76.1	75.9	76.1
Median household Income ¹³	\$51,736	NA	\$56,266
Unemployment (%) ¹³	8.5	14.1	9.8
Persons below poverty level (%) ¹³	14.4	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Pomona

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 149,058¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Pomona	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	78.5	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.0	14.3	12.0
Percentage of adult obesity ⁶	27.3	23.9	30.5
Percentage of childhood obesity ⁶	28.6	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	42.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	184.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	3.9	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Pomona	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Homicide	2. Homicide
3. Lung cancer	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. Motor vehicle crash	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Pomona	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	54.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	64.8	75.9	76.1
Median household Income ¹³	\$50,893	NA	\$56,266
Unemployment (%) ¹³	11.8	14.1	9.8
Persons below poverty level (%) ¹³	18.7	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Rosemead

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 53,764¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Rosemead	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	81.8	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.8	14.3	12.0
Percentage of adult obesity ⁶	20.1	23.9	30.5
Percentage of childhood obesity ⁶	20.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	20.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	128.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Rosemead	Los Angeles County
1. Suicide	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. Stroke	3. Suicide
4. Liver cancer	4. Motor vehicle crash
5. Coronary heart disease	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Rosemead	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.8	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	59.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	61.2	75.9	76.1
Median household Income ¹³	\$47,964	NA	\$56,266
Unemployment (%) ¹³	10.1	14.1	9.8
Persons below poverty level (%) ¹³	14.8	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

San Dimas

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 33,371¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	San Dimas	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	78.6	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	10.6	14.3	12.0
Percentage of adult obesity ⁶	19.8	23.9	30.5
Percentage of childhood obesity ⁶	17.6	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	29.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	205.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

San Dimas	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. Lung cancer	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	San Dimas	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	66.1	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	92.3	75.9	76.1
Median household Income ¹³	\$74,610	NA	\$56,266
Unemployment (%) ¹³	6.7	14.1	9.8
Persons below poverty level (%) ¹³	6.7	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

San Gabriel

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 39,718¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	San Gabriel	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.4	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.2	14.3	12.0
Percentage of adult obesity ⁶	17.1	23.9	30.5
Percentage of childhood obesity ⁶	16.0	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	19.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	130.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

San Gabriel	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Breast cancer	2. Homicide
3. Lung cancer	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	San Gabriel	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	66.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	77.5	75.9	76.1
Median household Income ¹³	\$57,666	NA	\$56,266
Unemployment (%) ¹³	7.2	14.1	9.8
Persons below poverty level (%) ¹³	13.2	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

San Marino

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 13,147¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	San Marino	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	5.3	14.3	12.0
Percentage of adult obesity ⁶	8.4	23.9	30.5
Percentage of childhood obesity ⁶	7.8	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	98.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

San Marino	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	San Marino	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	0.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	50.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	96.7	75.9	76.1
Median household Income ¹³	\$154,318	NA	\$56,266
Unemployment (%) ¹³	3.7	14.1	9.8
Persons below poverty level (%) ¹³	3.4	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Sierra Madre

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 10,917¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Sierra Madre	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	9.7	14.3	12.0
Percentage of adult obesity ⁶	15.0	23.9	30.5
Percentage of childhood obesity ⁶	12.7	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	113.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Sierra Madre	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Sierra Madre	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	3.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	76.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	96.5	75.9	76.1
Median household Income ¹³	\$84,487	NA	\$56,266
Unemployment (%) ¹³	8.4	14.1	9.8
Persons below poverty level (%) ¹³	8.6	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

South El Monte

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 20,116¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	South El Monte	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.9	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.2	14.3	12.0
Percentage of adult obesity ⁶	29.8	23.9	30.5
Percentage of childhood obesity ⁶	34.5	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	59.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	126.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

South El Monte	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	South El Monte	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	13.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	62.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	49.3	75.9	76.1
Median household Income ¹³	\$47,537	NA	\$56,266
Unemployment (%) ¹³	7.7	14.1	9.8
Persons below poverty level (%) ¹³	17.4	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

South Pasadena

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 25,619¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	South Pasadena	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	8.9	14.3	12.0
Percentage of adult obesity ⁶	11.9	23.9	30.5
Percentage of childhood obesity ⁶	10.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	120.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

South Pasadena	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	South Pasadena	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	4.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	48.8	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	96.9	75.9	76.1
Median household Income ¹³	\$84,914	NA	\$56,266
Unemployment (%) ¹³	6.4	14.1	9.8
Persons below poverty level (%) ¹³	6.1	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Temple City

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 35,558¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Temple City	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	84.4	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	10.8	14.3	12.0
Percentage of adult obesity ⁶	16.9	23.9	30.5
Percentage of childhood obesity ⁶	14.8	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	24.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	156.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Temple City	Los Angeles County
1. Suicide	1. Coronary heart disease
2. Lung cancer	2. Homicide
3. Coronary heart disease	3. Suicide
4. Stroke	4. Motor vehicle crash
5. Liver disease/cirrhosis	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Temple City	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	40.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	85.4	75.9	76.1
Median household Income ¹³	\$65,445	NA	\$56,266
Unemployment (%) ¹³	6.4	14.1	9.8
Persons below poverty level (%) ¹³	8.4	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Walnut

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 29,172¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Walnut	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	86.6	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	8.8	14.3	12.0
Percentage of adult obesity ⁶	13.9	23.9	30.5
Percentage of childhood obesity ⁶	12.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	20.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	122.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Walnut	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Walnut	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	2.8	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	48.8	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	92.5	75.9	76.1
Median household Income ¹³	\$101,358	NA	\$56,266
Unemployment (%) ¹³	5.4	14.1	9.8
Persons below poverty level (%) ¹³	4.9	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

West Covina

Located in the San Gabriel Valley region of Los Angeles County
Service Planning Area 3


Total Population: 106,098¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	West Covina	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.2	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.3	14.3	12.0
Percentage of adult obesity ⁶	22.4	23.9	30.5
Percentage of childhood obesity ⁶	21.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	25.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	132.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

West Covina	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Stroke	2. Homicide
3. Diabetes	3. Suicide
4. Breast cancer	4. Motor vehicle crash
5. Colorectal cancer	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	West Covina	San Gabriel Valley (SPA 3) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	89.8	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.1	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	61.4	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	85.3	84.3
High school graduate or higher (%) ¹³	81.7	75.9	76.1
Median household Income ¹³	\$68,308	NA	\$56,266
Unemployment (%) ¹³	11.2	14.1	9.8
Persons below poverty level (%) ¹³	8.9	13.4	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.9	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING AREA 4




Creating a Healthier Community

West Hollywood

Located in the metropolitan region of Los Angeles County
Service Planning Area 4


Total Population: 34,399¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	West Hollywood	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	83.3	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	19.6	14.3	12.0
Percentage of adult obesity ⁶	14.5	23.9	30.5
Percentage of childhood obesity ⁶	NA	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	15.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	141.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

West Hollywood	Los Angeles County
1. Suicide	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. HIV	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	West Hollywood	Metro LA (SPA 4) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	87.5	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	11.0	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	39.4	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.8	84.3
High school graduate or higher (%) ¹³	95.2	72.3	76.1
Median household Income ¹³	\$52,303	NA	\$56,266
Unemployment (%) ¹³	8.3	15.0	9.8
Persons below poverty level (%) ¹³	14.9	25.0	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	35.5	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING AREA 5




Creating a Healthier Community

Beverly Hills

Located in the west metropolitan region of Los Angeles County
Service Planning Area 5


Total Population: 34,109¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Beverly Hills	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	85.6	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	8.0	14.3	12.0
Percentage of adult obesity ⁶	10.4	23.9	30.5
Percentage of childhood obesity ⁶	5.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	12.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	98.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Beverly Hills	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Beverly Hills	West LA (SPA 5) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	91.6	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	10.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	70.1	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	98.0	84.3
High school graduate or higher (%) ¹³	94.8	93.3	76.1
Median household Income ¹³	\$85,560	NA	\$56,266
Unemployment (%) ¹³	7.9	7.8	9.8
Persons below poverty level (%) ¹³	6.9	12.9	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	12.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Culver City

Located in the west metropolitan region of Los Angeles County
Service Planning Area 5


Total Population: 38,883¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Culver City	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.6	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	8.7	14.3	12.0
Percentage of adult obesity ⁶	14.7	23.9	30.5
Percentage of childhood obesity ⁶	16.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	24.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	153.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Culver City	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Drug overdose	2. Homicide
3. Lung cancer	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsr/hsr12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Culver City	West LA (SPA 5) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	91.6	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	11.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	64.7	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	98.0	84.3
High school graduate or higher (%) ¹³	91.1	93.3	76.1
Median household Income ¹³	\$75,596	NA	\$56,266
Unemployment (%) ¹³	7.2	7.8	9.8
Persons below poverty level (%) ¹³	7.3	12.9	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	12.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Malibu

Located in the west metropolitan region of Los Angeles County
Service Planning Area 5


Total Population: 12,645¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Malibu	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	5.8	14.3	12.0
Percentage of adult obesity ⁶	10.4	23.9	30.5
Percentage of childhood obesity ⁶	5.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	78.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Malibu	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Malibu	West LA (SPA 5) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	91.6	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	12.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	40.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	98.0	84.3
High school graduate or higher (%) ¹³	97.7	93.3	76.1
Median household Income ¹³	\$132,926	NA	\$56,266
Unemployment (%) ¹³	7.5	7.8	9.8
Persons below poverty level (%) ¹³	7.4	12.9	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	12.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Santa Monica

Located in the west metropolitan region of Los Angeles County
Service Planning Area 5


Total Population: 89,736¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Santa Monica	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	81.5	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	10.7	14.3	12.0
Percentage of adult obesity ⁶	11.9	23.9	30.5
Percentage of childhood obesity ⁶	12.7	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	12.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	146.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Santa Monica	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Suicide	2. Homicide
3. Lung cancer	3. Suicide
4. Brain/CNS cancer**	4. Motor vehicle crash
5. Breast cancer	5. Liver disease/cirrhosis

**CNS=Central Nervous System

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Santa Monica	West LA (SPA 5) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	91.6	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	62.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	98.0	84.3
High school graduate or higher (%) ¹³	95.1	93.3	76.1
Median household Income ¹³	\$71,400	NA	\$56,266
Unemployment (%) ¹³	7.9	7.8	9.8
Persons below poverty level (%) ¹³	10.7	12.9	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	12.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING AREA 6




Creating a Healthier Community

Compton

Located in the south metropolitan region of Los Angeles County
Service Planning Area 6


Total Population: 96,455¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Compton	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	75.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	15.9	14.3	12.0
Percentage of adult obesity ⁶	39.1	23.9	30.5
Percentage of childhood obesity ⁶	29.0	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	51.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	211.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Compton	Los Angeles County
1. Homicide	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. Motor vehicle crash	3. Suicide
4. Lung cancer	4. Motor vehicle crash
5. Liver disease/cirrhosis	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Compton	South LA (SPA 6) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	68.0	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	38.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	64.4	84.3
High school graduate or higher (%) ¹³	57.7	61.2	76.1
Median household Income ¹³	\$43,311	NA	\$56,266
Unemployment (%) ¹³	15.0	15.5	9.8
Persons below poverty level (%) ¹³	24.9	31.1	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	38.2	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Lynwood

Located in the south metropolitan region of Los Angeles County
Service Planning Area 6


Total Population: 69,772¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Lynwood	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	77.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	16.5	14.3	12.0
Percentage of adult obesity ⁶	37.8	23.9	30.5
Percentage of childhood obesity ⁶	27.7	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	29.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	195.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Lynwood	Los Angeles County
1. Homicide	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. Stroke	3. Suicide
4. Suicide	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Lynwood	South LA (SPA 6) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	68.0	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	46.8	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	64.4	84.3
High school graduate or higher (%) ¹³	49.1	61.2	76.1
Median household Income ¹³	\$43,782	NA	\$56,266
Unemployment (%) ¹³	11.9	15.5	9.8
Persons below poverty level (%) ¹³	21.6	31.1	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	38.2	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Paramount

Located in the south metropolitan region of Los Angeles County
Service Planning Area 6


Total Population: 54,098¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Paramount	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	78.1	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	15.2	14.3	12.0
Percentage of adult obesity ⁶	35.5	23.9	30.5
Percentage of childhood obesity ⁶	27.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	29.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	162.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Paramount	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. Nephritis	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsu/hsu12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Paramount	South LA (SPA 6) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	68.0	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	47.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	64.4	84.3
High school graduate or higher (%) ¹³	56.3	61.2	76.1
Median household Income ¹³	\$42,831	NA	\$56,266
Unemployment (%) ¹³	11.2	15.5	9.8
Persons below poverty level (%) ¹³	21.2	31.1	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	38.2	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING

AREA 7




Creating a Healthier Community

Artesia

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 16,552¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Artesia	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.2	14.3	12.0
Percentage of adult obesity ⁶	20.9	23.9	30.5
Percentage of childhood obesity ⁶	25.5	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	32.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	166.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Artesia	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Artesia	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	50.4	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	75.5	72.5	76.1
Median household Income ¹³	\$58,281	NA	\$56,266
Unemployment (%) ¹³	8.6	13.5	9.8
Persons below poverty level (%) ¹³	9.9	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Bell Gardens

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 42,072¹

Race/Ethnicity



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Bell Gardens	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.6	14.3	12.0
Percentage of adult obesity ⁶	29.4	23.9	30.5
Percentage of childhood obesity ⁶	29.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	45.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	175.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Bell Gardens	Los Angeles County
1. Homicide	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. Liver disease/cirrhosis	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Bell Gardens	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	9.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	49.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	41.6	72.5	76.1
Median household Income ¹³	\$38,971	NA	\$56,266
Unemployment (%) ¹³	9.8	13.5	9.8
Persons below poverty level (%) ¹³	25.0	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Bell

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 35,477¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Bell	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.8	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.5	14.3	12.0
Percentage of adult obesity ⁶	29.4	23.9	30.5
Percentage of childhood obesity ⁶	29.0	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	40.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	129.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Bell	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Bell	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.5	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	47.3	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	42.2	72.5	76.1
Median household Income ¹³	\$37,121	NA	\$56,266
Unemployment (%) ¹³	10.7	13.5	9.8
Persons below poverty level (%) ¹³	25.4	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Bellflower

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 76,616¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Bellflower	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	78.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	15.7	14.3	12.0
Percentage of adult obesity ⁶	25.2	23.9	30.5
Percentage of childhood obesity ⁶	23.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	31.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	197.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Bellflower	Los Angeles County
1. Liver disease/cirrhosis	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. Homicide	3. Suicide
4. Stroke	4. Motor vehicle crash
5. Diabetes	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Bellflower	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	51.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	77.5	72.5	76.1
Median household Income ¹³	\$50,244	NA	\$56,266
Unemployment (%) ¹³	8.4	13.5	9.8
Persons below poverty level (%) ¹³	13.4	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Cerritos

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 49,041¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Cerritos	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	83.2	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	9.8	14.3	12.0
Percentage of adult obesity ⁶	12.4	23.9	30.5
Percentage of childhood obesity ⁶	15.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	22.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	136.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Cerritos	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsr/hsr12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Cerritos	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	68.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	92.5	72.5	76.1
Median household Income ¹³	\$87,853	NA	\$56,266
Unemployment (%) ¹³	8.2	13.5	9.8
Persons below poverty level (%) ¹³	5.5	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Com merce

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 12,823¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Com merce	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	9.9	14.3	12.0
Percentage of adult obesity ⁶	30.2	23.9	30.5
Percentage of childhood obesity ⁶	31.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	38.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	157.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Com merce	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Commerce	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	23.8	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	57.1	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	50.2	72.5	76.1
Median household Income ¹³	\$48,878	NA	\$56,266
Unemployment (%) ¹³	10.7	13.5	9.8
Persons below poverty level (%) ¹³	16.2	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Cudahy

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 23,805¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Cudahy	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.4	14.3	12.0
Percentage of adult obesity ⁶	29.5	23.9	30.5
Percentage of childhood obesity ⁶	29.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	39.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	137.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Cudahy	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Cudahy	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	46.7	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	39.3	72.5	76.1
Median household Income ¹³	\$39,338	NA	\$56,266
Unemployment (%) ¹³	10.9	13.5	9.8
Persons below poverty level (%) ¹³	28.0	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Downey

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 111,772¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Downey	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.9	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.3	14.3	12.0
Percentage of adult obesity ⁶	24.3	23.9	30.5
Percentage of childhood obesity ⁶	21.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	28.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	159.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Downey	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Motor vehicle crash	2. Homicide
3. Homicide	3. Suicide
4. Suicide	4. Motor vehicle crash
5. Stroke	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Downey	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	66.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	75.4	72.5	76.1
Median household Income ¹³	\$59,773	NA	\$56,266
Unemployment (%) ¹³	10.5	13.5	9.8
Persons below poverty level (%) ¹³	11.3	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Hawaiian Gardens

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 14,254¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Hawaiian Gardens	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.7	14.3	12.0
Percentage of adult obesity ⁶	27.0	23.9	30.5
Percentage of childhood obesity ⁶	33.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	114.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Hawaiian Gardens	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Hawaiian Gardens	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	11.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	65.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	54.4	72.5	76.1
Median household Income ¹³	\$42,898	NA	\$56,266
Unemployment (%) ¹³	6.7	13.5	9.8
Persons below poverty level (%) ¹³	21.8	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Huntington Park

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 58,114¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Huntington Park	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	81.7	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	14.2	14.3	12.0
Percentage of adult obesity ⁶	29.3	23.9	30.5
Percentage of childhood obesity ⁶	30.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	44.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	136.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Huntington Park	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. HIV	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Huntington Park	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	9.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	38.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	42.1	72.5	76.1
Median household Income ¹³	\$36,788	NA	\$56,266
Unemployment (%) ¹³	10.8	13.5	9.8
Persons below poverty level (%) ¹³	25.5	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

La Habra Heights

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 5,325¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	La Habra Heights	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	9.4	14.3	12.0
Percentage of adult obesity ⁶	15.8	23.9	30.5
Percentage of childhood obesity ⁶	NA	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	138.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

La Habra Heights	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	La Habra Heights	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	NA	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	NA	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	95.4	72.5	76.1
Median household Income ¹³	\$127,750	NA	\$56,266
Unemployment (%) ¹³	4.8	13.5	9.8
Persons below poverty level (%) ¹³	1.6	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

La Mirada

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 48,527¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	La Mirada	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	78.9	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.1	14.3	12.0
Percentage of adult obesity ⁶	20.8	23.9	30.5
Percentage of childhood obesity ⁶	17.6	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	20.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	152.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

La Mirada	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	La Mirada	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	64.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	86.8	72.5	76.1
Median household Income ¹³	\$81,913	NA	\$56,266
Unemployment (%) ¹³	7.8	13.5	9.8
Persons below poverty level (%) ¹³	5.1	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Lakewood

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 80,048¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Lakewood	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.3	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.8	14.3	12.0
Percentage of adult obesity ⁶	21.2	23.9	30.5
Percentage of childhood obesity ⁶	20.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	24.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	160.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Lakewood	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Stroke	2. Homicide
3. Motor vehicle crash	3. Suicide
4. Drug overdose	4. Motor vehicle crash
5. Leukemia	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Lakewood	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.0	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	55.1	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	88.7	72.5	76.1
Median household Income ¹³	\$78,360	NA	\$56,266
Unemployment (%) ¹³	7.7	13.5	9.8
Persons below poverty level (%) ¹³	6.4	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Maywood

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 27,395¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Maywood	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	83.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.8	14.3	12.0
Percentage of adult obesity ⁶	30.1	23.9	30.5
Percentage of childhood obesity ⁶	28.7	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	49.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	181.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Maywood	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Diabetes	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Maywood	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	10.1	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	59.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	38.1	72.5	76.1
Median household Income ¹³	\$38,155	NA	\$56,266
Unemployment (%) ¹³	12.1	13.5	9.8
Persons below poverty level (%) ¹³	25.6	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Montebello

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 62,500¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Montebello	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.3	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.7	14.3	12.0
Percentage of adult obesity ⁶	26.0	23.9	30.5
Percentage of childhood obesity ⁶	23.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	36.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	156.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Montebello	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Homicide	2. Homicide
3. Suicide	3. Suicide
4. Leukemia	4. Motor vehicle crash
5. Stroke	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hsr/hsr12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Montebello	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	45.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	69.9	72.5	76.1
Median household Income ¹³	\$52,496	NA	\$56,266
Unemployment (%) ¹³	9.2	13.5	9.8
Persons below poverty level (%) ¹³	15.0	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Norwalk

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 105,549¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Norwalk	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.2	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	14.5	14.3	12.0
Percentage of adult obesity ⁶	27.2	23.9	30.5
Percentage of childhood obesity ⁶	26.0	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	34.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	175.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Norwalk	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. Drug overdose	3. Suicide
4. Diabetes	4. Motor vehicle crash
5. Breast cancer	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Norwalk	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	5.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	67.7	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	71.8	72.5	76.1
Median household Income ¹³	\$60,090	NA	\$56,266
Unemployment (%) ¹³	11.1	13.5	9.8
Persons below poverty level (%) ¹³	11.1	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Pico Rivera

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 62,942¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Pico Rivera	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.1	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.7	14.3	12.0
Percentage of adult obesity ⁶	30.9	23.9	30.5
Percentage of childhood obesity ⁶	25.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	39.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	149.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Pico Rivera	Los Angeles County
1. Homicide	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. Motor vehicle crash	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Pico Rivera	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.1	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	47.1	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	66.2	72.5	76.1
Median household Income ¹³	\$55,632	NA	\$56,266
Unemployment (%) ¹³	8.5	13.5	9.8
Persons below poverty level (%) ¹³	11.5	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Santa Fe Springs

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 16,223¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Santa Fe Springs	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.6	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.6	14.3	12.0
Percentage of adult obesity ⁶	29.4	23.9	30.5
Percentage of childhood obesity ⁶	24.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	31.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	173.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Santa Fe Springs	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Santa Fe Springs	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	23.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	57.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	71.2	72.5	76.1
Median household Income ¹³	\$53,638	NA	\$56,266
Unemployment (%) ¹³	10.9	13.5	9.8
Persons below poverty level (%) ¹³	8.1	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Signal Hill

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 11,016¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Signal Hill	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.7	14.3	12.0
Percentage of adult obesity ⁶	23.4	23.9	30.5
Percentage of childhood obesity ⁶	27.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	203.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Signal Hill	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Signal Hill	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	12.5	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	55.3	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	88.7	72.5	76.1
Median household Income ¹³	\$69,946	NA	\$56,266
Unemployment (%) ¹³	12.3	13.5	9.8
Persons below poverty level (%) ¹³	10.8	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

South Gate

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 94,396¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	South Gate	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	81.1	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.8	14.3	12.0
Percentage of adult obesity ⁶	30.1	23.9	30.5
Percentage of childhood obesity ⁶	30.7	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	32.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	131.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

South Gate	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Homicide	2. Homicide
3. Liver disease/cirrhosis	3. Suicide
4. Suicide	4. Motor vehicle crash
5. Diabetes	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	South Gate	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.9	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	55.7	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	51.1	72.5	76.1
Median household Income ¹³	\$41,990	NA	\$56,266
Unemployment (%) ¹³	13.2	13.5	9.8
Persons below poverty level (%) ¹³	19.6	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Whittier

Located in the east metropolitan region of Los Angeles County
Service Planning Area 7


Total Population: 85,331¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Whittier	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.8	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.3	14.3	12.0
Percentage of adult obesity ⁶	23.6	23.9	30.5
Percentage of childhood obesity ⁶	23.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	29.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	168.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Whittier	Los Angeles County
1. Motor vehicle crash	1. Coronary heart disease
2. Coronary heart disease	2. Homicide
3. Liver disease/cirrhosis	3. Suicide
4. Leukemia	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Whittier	East (SPA 7) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	88.2	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.8	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	41.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	84.2	84.3
High school graduate or higher (%) ¹³	82.7	72.5	76.1
Median household Income ¹³	\$68,055	NA	\$56,266
Unemployment (%) ¹³	8.8	13.5	9.8
Persons below poverty level (%) ¹³	10.1	15.5	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	32.4	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

SERVICE PLANNING

AREA 8




Creating a Healthier Community

Carson

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 91,714¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Carson	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.2	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.7	14.3	12.0
Percentage of adult obesity ⁶	24.7	23.9	30.5
Percentage of childhood obesity ⁶	25.8	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	29.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	156.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	7.7	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Carson	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Homicide	2. Homicide
3. Breast cancer	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. Suicide	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Carson	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	57.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	79.7	81.0	76.1
Median household Income ¹³	\$70,416	NA	\$56,266
Unemployment (%) ¹³	11.7	12.8	9.8
Persons below poverty level (%) ¹³	7.8	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

El Segundo

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 16,654¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	El Segundo	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.8	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	12.8	14.3	12.0
Percentage of adult obesity ⁶	16.8	23.9	30.5
Percentage of childhood obesity ⁶	11.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	164.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

El Segundo	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topics/objectives/2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	El Segundo	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	12.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	69.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	96.4	81.0	76.1
Median household Income ¹³	\$88,486	NA	\$56,266
Unemployment (%) ¹³	5.4	12.8	9.8
Persons below poverty level (%) ¹³	3.5	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Gardena

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 58,829¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Gardena	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.4	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	16.8	14.3	12.0
Percentage of adult obesity ⁶	25.0	23.9	30.5
Percentage of childhood obesity ⁶	27.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	31.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	164.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	10.9	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Gardena	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Colorectal cancer	2. Homicide
3. Birth defect	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. Lung cancer	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Gardena	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	50.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	81.3	81.0	76.1
Median household Income ¹³	\$46,961	NA	\$56,266
Unemployment (%) ¹³	10.7	12.8	9.8
Persons below poverty level (%) ¹³	15.5	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Hawthorne

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 84,293¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Hawthorne	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.6	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	18.3	14.3	12.0
Percentage of adult obesity ⁶	28.6	23.9	30.5
Percentage of childhood obesity ⁶	25.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	24.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	185.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	4.7	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Hawthorne	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Homicide	2. Homicide
3. Motor vehicle crash	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. Drug overdose	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Hawthorne	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	6.2	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	39.3	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	73.9	81.0	76.1
Median household Income ¹³	\$45,622	NA	\$56,266
Unemployment (%) ¹³	8.3	12.8	9.8
Persons below poverty level (%) ¹³	17.2	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Hermosa Beach

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 19,506¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Hermosa Beach	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.4	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	17.4	14.3	12.0
Percentage of adult obesity ⁶	12.7	23.9	30.5
Percentage of childhood obesity ⁶	5.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	132.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Hermosa Beach	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Hermosa Beach	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	11.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	63.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	98.5	81.0	76.1
Median household Income ¹³	\$102,289	NA	\$56,266
Unemployment (%) ¹³	5.7	12.8	9.8
Persons below poverty level (%) ¹³	3.6	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Inglewood

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 109,673¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Inglewood	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	77.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	16.2	14.3	12.0
Percentage of adult obesity ⁶	29.6	23.9	30.5
Percentage of childhood obesity ⁶	26.8	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	36.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	215.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	8.0	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Inglewood	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Homicide	2. Homicide
3. Stroke	3. Suicide
4. Lung cancer	4. Motor vehicle crash
5. Liver disease/cirrhosis	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Inglewood	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	57.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	71.4	81.0	76.1
Median household Income ¹³	\$44,021	NA	\$56,266
Unemployment (%) ¹³	10.6	12.8	9.8
Persons below poverty level (%) ¹³	21.0	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Lawndale

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 32,769¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Lawndale	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	79.5	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	17.7	14.3	12.0
Percentage of adult obesity ⁶	28.4	23.9	30.5
Percentage of childhood obesity ⁶	22.9	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	22.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	151.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Lawndale	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Lawndale	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.7	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	50.0	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	71.6	81.0	76.1
Median household Income ¹³	\$48,813	NA	\$56,266
Unemployment (%) ¹³	11.9	12.8	9.8
Persons below poverty level (%) ¹³	15.3	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Lomita

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 20,256¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Lomita	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.6	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	16.5	14.3	12.0
Percentage of adult obesity ⁶	23.3	23.9	30.5
Percentage of childhood obesity ⁶	27.2	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	23.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	150.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Lomita	Los Angeles County
1. Drug overdose	1. Coronary heart disease
2. Liver disease/cirrhosis	2. Homicide
3. Coronary heart disease	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Lomita	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	58.2	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	85.6	81.0	76.1
Median household Income ¹³	\$61,327	NA	\$56,266
Unemployment (%) ¹³	6.4	12.8	9.8
Persons below poverty level (%) ¹³	9.1	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Manhattan Beach

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 35,135¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Manhattan Beach	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	83.2	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	11.1	14.3	12.0
Percentage of adult obesity ⁶	12.5	23.9	30.5
Percentage of childhood obesity ⁶	3.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	93.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Manhattan Beach	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Breast cancer	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Manhattan Beach	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.4	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	75.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	98.7	81.0	76.1
Median household Income ¹³	\$132,752	NA	\$56,266
Unemployment (%) ¹³	4.6	12.8	9.8
Persons below poverty level (%) ¹³	3.2	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Palos Verdes Estates

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 13,438¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Palos Verdes Estates	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	7.4	14.3	12.0
Percentage of adult obesity ⁶	11.8	23.9	30.5
Percentage of childhood obesity ⁶	7.3	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	115.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Palos Verdes Estates	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Palos Verdes Estates	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	4.3	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	NA	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	98.1	81.0	76.1
Median household Income ¹³	\$159,038	NA	\$56,266
Unemployment (%) ¹³	3.1	12.8	9.8
Persons below poverty level (%) ¹³	1.7	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Rancho Palos Verdes

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 41,643¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPI = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Rancho Palos Verdes	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.5	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	8.7	14.3	12.0
Percentage of adult obesity ⁶	12.7	23.9	30.5
Percentage of childhood obesity ⁶	14.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	12.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	134.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Rancho Palos Verdes	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Suicide	2. Homicide
3. Lung cancer	3. Suicide
4. Colorectal cancer	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/hus/hus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Rancho Palos Verdes	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	3.5	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	53.7	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	97.9	81.0	76.1
Median household Income ¹³	\$116,643	NA	\$56,266
Unemployment (%) ¹³	5.9	12.8	9.8
Persons below poverty level (%) ¹³	4.7	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Redondo Beach

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 66,748¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot	Redondo Beach	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	80.8	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	16.0	14.3	12.0
Percentage of adult obesity ⁶	16.7	23.9	30.5
Percentage of childhood obesity ⁶	15.1	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	18.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	147.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Redondo Beach	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Suicide	2. Homicide
3. Liver disease/cirrhosis	3. Suicide
4. Drug overdose	4. Motor vehicle crash
5. Lung cancer	5. Liver disease

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Redondo Beach	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	8.6	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	50.9	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	95.5	81.0	76.1
Median household Income ¹³	\$94,982	NA	\$56,266
Unemployment (%) ¹³	6.0	12.8	9.8
Persons below poverty level (%) ¹³	5.2	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Rolling Hills Estates

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 8,067¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Rolling Hills Estates	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	NA	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	7.7	14.3	12.0
Percentage of adult obesity ⁶	11.9	23.9	30.5
Percentage of childhood obesity ⁶	8.4	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	NA	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	114.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	NC	4.6 ⁸	6.0

Note: NC = Not calculated

Leading Causes of Premature Death, 2010⁹

Rolling Hills Estates	Los Angeles County
1. NA	1. Coronary heart disease
2. NA	2. Homicide
3. NA	3. Suicide
4. NA	4. Motor vehicle crash
5. NA	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Rolling Hills Estates	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	NA	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	38.5	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	98.3	81.0	76.1
Median household Income ¹³	\$151,757	NA	\$56,266
Unemployment (%) ¹³	4.6	12.8	9.8
Persons below poverty level (%) ¹³	3.1	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitr.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15




Creating a Healthier Community

Torrance

Located in the South Bay region of Los Angeles County
Service Planning Area 8


Total Population: 145,438¹

Race/Ethnicity[§]



Note: AIAN = American Indian/Alaska Native
NHOPi = Native Hawaiian and Other Pacific Islander
Mixed = Mixed and Other

Age Group (years)[§]



Note: [§]Total may not sum to 100% due to rounding

Health Snapshot

	Torrance	Los Angeles County	Healthy People 2020 ²
Life expectancy at birth ³ (years)	82.0	80.3	78.7 ⁴
Percentage of cigarette smokers ⁵	13.1	14.3	12.0
Percentage of adult obesity ⁶	17.8	23.9	30.5
Percentage of childhood obesity ⁶	12.5	23.0	14.5
Diabetes death rate ⁶ (per 100,000)	15.0	25.0	66.6
Coronary heart disease death rate ⁶ (per 100,000)	145.0	161.0	103.4
Infant death rate ⁷ (per 1,000)	5.5	4.6 ⁸	6.0

Leading Causes of Premature Death, 2010⁹

Torrance	Los Angeles County
1. Coronary heart disease	1. Coronary heart disease
2. Suicide	2. Homicide
3. Breast cancer	3. Suicide
4. Liver disease/cirrhosis	4. Motor vehicle crash
5. Stroke	5. Liver disease/cirrhosis

References

- American FactFinder Community Facts. United States Census Bureau, 2010. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml
- U.S Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. <http://www.healthypeople.gov/2020/topicsobjectives2020/default>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Life Expectancy in Los Angeles County: How long do we live and why? A Cities and Communities Report*, July 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/epi/docs/Life%20Expectancy%20Final_web.pdf
- National Center for Health Statistics (2012). *Health, United States 2012: With Special Feature on Emergency Care*; Accessed September 10, 2013. <http://www.cdc.gov/nchs/data/abus/abus12.pdf>
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Cigarette Smoking in Los Angeles County: Local Data to Inform Tobacco Policy. A Cities and Communities Report*, June 2010; Accessed September 10, 2013. http://www.publichealth.lacounty.gov/ha/reports/habriefs/2007/Cigarette_Smoking_Cities_finalS.pdf

Social Determinants of Health

Cities can make a significant impact on the health of their residents through policies that improve the physical and social environments. Healthy environmental design policies that increase safe parks, bike and pedestrian paths, transit-oriented development, quality housing, and access to quality food impact the quality of life in a city. Higher educational levels, employment, family and social support and community safety are factors associated with positive health outcomes.¹⁰

	Torrance	South Bay (SPA 8) ⁸	Los Angeles County
Environmental Factors			
Percent (%) of children ages 1-17 years who can easily get to a park, playground, or other safe place to play ⁸	NA	83.7	84.2
Off-premises alcohol density * (per 10,000 residents) ¹¹	7.5	NA	6.7
Child occupant restraint use (0-6 years old) (%) involved in injury collisions ¹²	57.6	NA	55.4
Social Factors			
Percent (%) of adults who believe their neighborhood is safe from crime ⁸	NA	86.3	84.3
High school graduate or higher (%) ¹³	92.5	81.0	76.1
Median household Income ¹³	\$75,885	NA	\$56,266
Unemployment (%) ¹³	7.0	12.8	9.8
Persons below poverty level (%) ¹³	7.2	17.2	16.3
Access to Care			
Percent (%) of adults 18-64 who are uninsured ⁸	NA	26.7	28.5

Note: NA = Not available; SPA = Service Planning Area

*Off-premises - outlets where alcohol is sold to be consumed off site; e.g., liquor stores and grocery stores

References (cont'd)

- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Obesity and Related Mortality in Los Angeles County: A Cities and Communities Health Report*, September 2011; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/reports/habriefs/2007/Obese_Cities/Obesity_2011Fs.pdf
- California Department of Public Health, Center for Health Statistics, Office of Health Information and Research Vital Statistics Section, 2010. Population estimates, prepared by Hedderson Demographic Services for Urban Research, July 1, 2010, LA County ISD.
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Key Indicators of Health by Service Planning Area*, March 2013; Accessed September 10, 2013. http://publichealth.lacounty.gov/ha/docs/kir_2013_finals.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Linked 2010 California Department of Public Health Death Statistical Master File for LA County Residents. Compiled by Loren Lieb, September 9, 2015.
- Senterfitt JW, Long A, Shih M, Teutsch SM. *How Social and Economic Factors Affect Health, Social Determinants of Health, Issue no. 1. Los Angeles County Department of Public Health*, January 2013. http://publichealth.lacounty.gov/epi/docs/SocialD_Final_Web.pdf
- Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. *Reducing Alcohol-Related Harms in Los Angeles County: A Cities and Communities Report*, December 2011; Accessed September 10, 2013. <http://publichealth.lacounty.gov/sapc/resources/AODFinalRevised13012.pdf>
- California Highway Patrol, Statewide Integrated Traffic Records System (SWITRS). Percent of Motor Vehicle Occupants (Children 0-6 Years Old) Involved in Injury Collisions Who Were Using a Child Restraint by City, 2003-2011. Compiled by Los Angeles County Department of Public Health, Injury and Violence Prevention Program; Accessed December 17, 2013. <http://iswitrs.chp.ca.gov/Reports/isp/CollisionReports.isp>
- American FactFinder Community Facts. United States Census Bureau, 2007-2011 American Community Survey 5-Year Estimates; Accessed September 10, 2013. http://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml

Rev. 09.22.15

Appendix: Technical notes

1. Healthy People (HP) 2020 Objective for Diabetes Mortality

The city-specific and county mortality rates for diabetes may not be directly comparable to the HP 2020 objective. Our mortality rate calculations are based on underlying cause of death while the HP 2020 objective is based on **any mention** of diabetes (underlying and contributory causes).

2. Causes of Premature Death

For this report, premature death is defined as death before 75 years of age. Among persons who died in 2010, we calculated the years of expected life that were lost if they died before age 75, e.g., 75 - age at death (infants less than 1 year of age were excluded from the calculation. See infant death rate below). By adding up the total years of expected life that were lost for each cause of death, we identified the causes of death responsible for the most premature death in the county.

When a person dies, it is likely that several diseases or conditions contributed to the death. For this report, we analyzed the single disease or condition that most directly caused the death. By using a single cause of death, rather than considering all the conditions present at the time of death, this report does not reflect the full impact of certain diseases and conditions.

3. Infant Death Rate = the number of infant deaths occurring at less than 365 days of age per 1,000 live births

NC = Not Calculated. Values for Infant Death Rate were not included in the Health Snapshot table due to small numbers which produced unreliable estimates.

4. Criteria for Excluding Cities

The cities of Long Beach and Pasadena were not included in this report as they have separate public health departments outside the jurisdiction of the Los Angeles County Department of Public Health.

The cities of Avalon, Vernon and Rolling Hills were excluded from the analysis because the population was too small to produce reliable estimates.

5. Child Restraint Data

Child restraint data was derived from the California Highway Patrol query system by year and then compiled in SAS® 9.1.

6. Race and Ethnicity Categories

2010 Census data for race/ethnicity were derived from the “Hispanic or Latino and Race” section. The Latino race/ethnicity has its own category. “Some Other Race alone” and “Two or More Races” were combined into the category “Mixed and Other”. American Indian/Alaska Native and Native Hawaiian and Pacific Islander categories are not shown when there are too few cases to allow for reliable estimates of disease.

7. Age Category

Age categories were formulated from 2010 Census data.

8. Educational Attainment

High school graduate or higher by SPA in the Social Determinants of Health section was derived from Key Indicators of Health Report by adding “percent of adults who completed high school”, “percent of adults who completed some college, trade school or associate’s degree”, “percent of adults with a college or post graduate degree” together.

The seal of the County of Los Angeles, California, is a large, faint watermark in the background. It features a central figure holding a scale, surrounded by various symbols representing different districts and the county's history. The text "COUNTY OF LOS ANGELES" is at the top and "CALIFORNIA" is at the bottom.

DEPARTMENT OF PUBLIC HEALTH

Cynthia A. Harding, MPH, Interim Director

Jeffrey D. Gunzenhauser, MD, MPH, Interim Health Officer

BOARD OF SUPERVISORS

Hilda L. Solis

FIRST DISTRICT

Mark Ridley-Thomas

SECOND DISTRICT

Sheila Kuehl

THIRD DISTRICT

Don Knabe

FOURTH DISTRICT

Michael D. Antonovich

FIFTH DISTRICT

Suggested Citation: Los Angeles County Department of Public Health, Office of Health Assessment and Epidemiology. Los Angeles Cities Report: Community Health. September 2016.