

# Contracts & Compliance

Update

Daniel Deniz, Branch Chief Finance Services Branch Michelle Palmer, Manager Compliance Management Unit



#### Master Audit Plan - Approach

- Leverage non-SAPC monitoring activities
- Incorporate efficiencies
- Be data-driven and focused
- Move from "Monitoring" to "Management" model





#### Master Audit Plan – Leverage non-SAPC Monitoring

- Los Angeles County Auditor-Controller
  - ✓ Fiscal Compliance Review
- Complaints, Investigations, etc.

#### SAPC is responsible for all corrective actions.





#### **Master Audit Plan – Data-Driven and Focused**

- Monitoring Reports = Report Letter with brief annotation of deficiencies
- Request information and documentation
- Use of Secure File Transport Process (SFTP)
- Greatly increase remote monitoring





## <u>Master Audit Plan – Move from Monitoring to</u> <u>Management Model/Approach</u>

- Create monthly compliance activities some relevant to Prevention activities
- Incorporate feedbacks and input from other SAPC Sections
- Increase monitoring reports & corrective action plan (CAP) opportunities





## FY 2021-22 Master Audit Plan

#### **Key Components**

- Establish a year-long schedule for all compliance management activities
- All activities will be conducted remotely with the exceptions of facility inspections & as-needed monitoring and/or investigations

July	November	January
<ul> <li>Personnel</li> <li>Training requirements</li> <li>Evaluations</li> <li>Acknowledgements</li> </ul>	<ul> <li>Administrative</li> <li>Licensing</li> <li>Policies &amp; Procedures</li> <li>Board of Directors</li> </ul>	<ul> <li>Programmatic</li> <li>Proof of Services</li> <li>Sign in sheets</li> <li>Flyers</li> </ul>



#### FY 2021-22 Master Audit Plan

#### **Key Components**

- Contract Program Auditors (CPA) will request documents to conduct compliance activities
- Information/Document sharing will be conducted using the SFTP
- Establish a single CAP per agency that will capture "open" and "resolved" issues





## THANK YOU!